Message

From: Tom Rowlett [Tom.Rowlett@pgenv.com]

Sent: 11/27/2019 8:47:39 AM

To: Maslowski, Steven [Maslowski.Steven@epa.gov]

CC: jake.albright@pgenv.com

Subject: FW: CRW Information Request Response

Attachments: CRW 2018 LTCP Table 3-2 ScanDate 112719.pdf; 2019-10-31 Information Request to EPA from CRW FINAL - PG-jtr

notes 112619.docx

Ex. 5 Deliberative Process (DP)

Tom Rowlett

PG Environmental
4126 Bottiglia Avenue
Las Vegas, Nevada 89141
702-361-3901 (land line)
702-373-6151 (cell phone)
tom.rowlett@pgenv.com

IMPORTANT: This transmission is intended only for the use of the individual or entity to which it is addressed. It may contain information that is privileged, confidential, or otherwise protected from disclosure under applicable law. If the reader of this transmission is not the intended recipient or the employee or agent responsible for delivering the transmission to the intended recipient, you are hereby notified that any dissemination, distribution, copying or use of this transmission or its contents is strictly prohibited. If you have received this transmission in error, please notify us by telephoning and return the original transmission to us at the address given above.

From: Maslowski, Steven < Maslowski. Steven@epa.gov>

Sent: Friday, November 1, 2019 7:41 AM

To: Lazos, Pamela <Lazos.Pamela@epa.gov>; Nanda, Sushila <Nanda.Sushila@epa.gov>; Tom Rowlett

^{**}Draft Attorney Work Product - Do Not Release**

Ex. 5 Deliberative Process (DP)

I will be out of the office November 4 to 8, 2019.

Steve Maslowski NPDES Section EPA Region III 215-814-2371

From: David Stewart <david.stewart@capitalregionwater.com>

Sent: Thursday, October 31, 2019 4:52 PM

To: Maslowski, Steven < Maslowski. Steven@epa.gov>

Subject: CRW Information Request Response

Steve,

CRW compiled and mailed the information requested at our 10/17 meeting today. Attached is a pdf of the transmittal for your use.

I noticed we're addressing to Kelly Gable, as that was the last official direction we received after Deane retired. Should we be addressing Nina instead, and can you confirm the correct title/address, etc.?

Thanks, Dave

Dave Stewart, P.E., BCEE | Director of Engineering **888-510-0606** | 717-216-5306



Capital Region Water
212 Locust Street, Suite 500 | Harrisburg, PA 17101
Investing in Our Community from Raindrop to River
capitalregionwater.com | Facebook | Twitter | YouTube